



CATALOGO 2024/25
ERBA SINTETICA

PERCHE' SCEGLIERE WORLD GRASS?

WorldGrass dal 2014 è specializzata nella vendita e posa su tutto il territorio Nazionale di prato sintetico uso residenziale e sportivo.

il prato sintetico si adatta alle condizioni climatiche del luogo, gelo e caldo non sono piu' i nemici del nostro prato.

Il prato sintetico residenziale firmato WorldGrass è la soluzione alle tue esigenze economiche, temporali ed eleganza.

Economiche: il costo del prato sintetico WorldGrass a parità di caratteristiche è il piu' basso sul mercato, e non ha bisogno di manutenzione che potrebbero richiedere dei costi elevati.

Temporali: E' una soluzione di lungo periodo, una volta installato, non ha bisogno di manutenzioni particolari, che richiedono del tempo.

Eleganza: con il prato sintetico rendi il tuo spazio unico, sempre in ordine e pulito



QUALITA' & DESIGN

I nostri prati sono qualitativi e belli da vedere.




PROFESSIONALITA'

Il nostro Team ha maturato una grande esperienza nel settore.



TECNOLOGIA

I materiali utilizzati sono innovativi, qualitativi e certificati.



ASSISTENZA

Progettiamo le migliori soluzioni su misura per te.

FINANZIAMENTI

Paga comodamente a rate il tuo prato direttamente da noi.




SCONTO

Il nostro prezzo è il migliore sul mercato





la nostra erba Sintetica



I NOSTRI MODELLI RESIDENZIALI: LINEA GOLD.

AMSTERDAM 35



NAPOLI 35



LONDRA 40



BARCELLONA 40



NEW YORK 50



Linea PremiumElite

MOSCA 40



FIRENZE 40



LISBONA 40



CATANIA 50



COPENAGHEN 50



ROMA 55



PARQ

WorldGrass

AMSTERDAM

35 mm

Type of product	: Tufted artificial grass
Pile material	: 50% PE 50% PP
Yarn quality	: Environmental friendly, free of lead and cadmium, according REACH-norm
Gauge	: 3.8
Primary backing	: 100% PP black, UV-stabilized
Secondary backing	: Latex, with drainage holes
Waterpermeability	: 60 litre/min/m2
Pile height	: 35.00 mm
Pile weight	: 1700 gr./m2
Total weight	: 2400 gr./m2
Stitches per 10 cm	: 20
Number of tufts	: 18.900 m2
Backing	: Outdoor grass backing
Applications	: Gardens, landscaping
Width	: 200/ 400 cm
Roll length	: 20 - 25m

Specification can vary by 10%.



Resilience



UV-warranty
N-Europe



Heavy use



Child
friendly



UV-warranty
S-Europe



Made in
extra ue



Easy to
fit



400 cm



Product Specifications

Product Name	NAPOLI 35		D1-BNC352240048-34
Application	landscape	Colour	Dark green+Olive green
Roll Width	2M/4M	Roll Length	As ordered

Yarns

Strands	6 monofilament + 8 curly yarn	Yarn Shape	C Shape
Material	PE+PP	Dtex	5,500 ±5%
Thickness (micron)	60µm	Width	0.76mm

Turf carpet

Pile height	35 mm ±1mm	Gauge	3/8"
Stitch Rate/10cm	24 ±3%	Stitch Rate/M2	25,200 ±10%
Primary Backing	PP Cloth	Secondary Backing	Mesh Fabric
Coating	SBR Latex	Packing	PP fabrics+ PE film,tape
Yarn weight	1000 ±10%	Total weight	2165 ±15%
Drainage holes (mm)	5MM	Water Osmosis	1600-1800L/H/M²

Other info

Heavy Metal	SVHC ND-comply with REACH	Fire retardance	Efl-comply with EN 13501-1:2007+A1:2009
-------------	---------------------------	-----------------	---

Remarks:

The above data are subject to modifications based on technical improvements or company-internal developments.

All figures are average values and can vary slightly.



PARQ

WorldGrass

LONDRA

40 mm

Type of product	: Tufted artificial grass
Pile material	: 50% PE 50% PP
Yarn quality	: Environmental friendly, free of lead and cadmium, according REACH-norm
Gauge	: 3.8
Primary backing	: 100% PP black, UV-stabilized
Secondary backing	: Latex, with drainage holes
Waterpermeability	: 60 litre/min/m2
Pile height	: 50.0 mm
Pile weight	: 1900 gr./m2
Total weight	: 2600 gr./m2
Stitches per 10 cm	: 20
Number of tufts	: 18.900 m2
Backing	: Outdoor grass backing
Applications	: Gardens, landscaping
Width	: 200/400 cm
Roll length	: 20 - 25m

Specification can vary by 10%.



Resilience



UV-warranty
N-Europe



Heavy use



Child
friendly



UV-warranty
S-Europe



Made in
extra ue



Easy to
fit



400 cm



Product Specifications

Product Name	BARCELLONA		D1-BNC402240048-34
Application	landscape	Colour	Dark green+Olive green
Roll Width	2M/4M	Roll Length	As ordered

Yarns

Strands	6 monofilament + 8 curly yarn	Yarn Shape	C Shape
Material	PE+PP	Dtex	5,500 ±5%
Thickness (micron)	60µm	Width	0.76mm

Turf carpet


Pile height	40 mm ±1mm	Gauge	3/8"
Stitch Rate/10cm	24 ±3%	Stitch Rate/M2	25,200 ±10%
Primary Backing	PP Cloth	Secondary Backing	Mesh Fabric
Coating	SBR Latex	Packing	PP fabrics+ PE film,tape
Yarn weight	1140 ±10%	Total weight	2305 ±15%
Drainage holes (mm)	5MM	Water Osmosis	1600-1800L/H/M²

Other info

Heavy Metal	SVHC ND-comply with REACH	Fire retardance	Efl-comply with EN 13501-1:2007+A1:2009
-------------	---------------------------	-----------------	---

Remarks:

The above data are subject to modifications based on technical improvements or company-internal developments.
All figures are average values and can vary slightly.



PARQ

WorldGrass

NEW YORK

50 mm

Type of product	: Tufted artificial grass
Pile material	: 50% PE 50% PP
Yarn quality	: Environmental friendly, free of lead and cadmium, according REACH-norm
Gauge	: 3.8
Primary backing	: 100% PP black, UV-stabilized
Secondary backing	: Latex, with drainage holes
Waterpermeability	: 60 litre/min/m2
Pile height	: 50.0 mm
Pile weight	: 2200 gr./m2
Total weight	: 3100 gr./m2
Stitches per 10 cm	: 20
Number of tufts	: 25.200 m2
Backing	: Outdoor grass backing
Applications	: Gardens, landscaping
Width	: 200/400 cm
Roll length	: 20 - 25m

Specification can vary by 10%.



Resilience



UV-warranty
N-Europe



Heavy use



Child
friendly



UV-warranty
S-Europe



Made in
extra ue



Easy to
fit



400 cm




New 2024



MOSCA 40

Type of product	:Tufted artificial grass
Yarn quality	: Environmental friendly, free of lead and cadmium, according
Gauge	REACH-norm.
Primary backing	: 3.4 CP
Secondary backing	:100% PP black with fibre lock fleece, UV-stabilized
Waterpermeability	: Latex, with drainage holes
Stiches per 10 cm	: 60 litre/min/m2
Number of tufts	: 18
Backing	: 19.215 m2
Applications	: Outdoor grass backing
Width	: Gardens, landscaping
Roll length	: 400 cm
Fibre type	: monofilament straight : 20 m
Back	& PP AT-texturized



Total weight: (+/- 10%)
2.415 gr./m2

Pile height: (+/- 10%)
40 mm

Pile weight: (+/- 10%)
1.840 gr./m2



Technical Specification

New 2024

Product Specifications

Product Name	FIRENZE		BNPT402105141-56
Application	landscape	Colour	Field Green+ Field green+ Lime green
Roll Width	2M/4M	Roll Length	As ordered

Yarns

Strands	12 monofilament + 12 curly yarn	Yarn Shape	Flat Shape
Material	PE+PP	Dtex	16,000 ±5%
Thickness (micron)	140/130µm	Width	0.85/0.82mm

Turf carpet

Pile height	40 mm ±1mm	Gauge	3/8"
Stitch Rate/10cm	10.5 ±3%	Stitch Rate/M2	11,025 ±10%
Primary Backing	PP Cloth	Secondary Backing	Non woven
Coating	SBR Latex	Packing	PP fabrics+ PE film,tape
Yarn weight	1670 ±10%	Total weight	2920 ±15%
Drainage holes (mm)	5MM	Water Osmosis	1600-1800L/H/M²


Other info

Heavy Metal	SVHC ND-comply with REACH	Fire retardance	Efl-comply with EN 13501-1:2007+A1:2009
-------------	---------------------------	-----------------	---

Remarks:

The above data are subject to modifications based on technical improvements or company-internal developments.

All figures are average values and can vary slightly.



LISBONA 40

Technical specifications

Type of product	Tufted artificial grass
Pile material	: PE-monofilament straight + PE monofilament texturized & PP AT-texturized
Yarn quality	: Environmental friendly, free of lead and cadmium, according REACH-norm.
Gauge	: 3.8 CP
Primary backing	: 100% PP black, UV-stabilized
Secondary backing	: Latex, with drainage holes
Waterpermeability	: 60 litre/min/m2
Stiches per 10 cm	: 10.5
Number of tufts	: 11.209 m2
Backing	: Outdoor grass backing(also available with ecobacking)
Applications	: Gardens, landscaping
Width	: 400 cm
Roll Length	: 20 m
Yarn shape	: Flat ribbed



Fibre: PE-monofilament straight + PE monofilament texturized & PP AT-texturized

Pile height: apprx. 40 mm(+/- 10%)

Total weight: 2.595 gr./m2 (+/- 10%)

Pile weight: 1.660 gr./m2 (+/- 10%)

Total height: 42 mm(+/-10%)



CATANIA 50

Technical specifications

Type of product	: Tufted artificial grass
Pile material	: PE monofilament straight + PE monofilament texturized & PP AT-texturized
Yarn quality	: Environmental friendly, free of lead and cadmium, according REACH-norm
Gauge	: 3.8 CP
Primary backing	: 100% PP black, UV-stabilized
Secondary backing	: Latex, with drainage holes
Waterpermeability	: 60 litre/min/m2
Stiches per 10 cm	: 10.5
Number of tufts	: 11.209 m2
Backing	: Outdoor grass backing(also available with NextGen backing) :
Applications	: Gardens, landscaping
Width	: 400 cm
Roll Length	: 20 m
Yarn shape	: Flat ribbed



Fibre: PE monofilament straight + PE monofilament texturized & PP AT texturized

Pile height:
apprx. 50 mm(+/- 10%)

Total weight:
2.860 gr./m2 (+/- 10%)

Pile weight:
2000 gr./m2 (+/- 10%)

Total height: 52 mm(+/-10%)



Product Specifications

Product Name	COPENAGHEN		BNCPT504220109-35
Application	landscape	Colour	Dark green+Olive green+Lime green
Roll Width	2M/4M	Roll Length	As ordered

Yarns

Strands	8 monofilament + 12 curly yarn	Yarn Shape	Multi Shape
Material	PE+PP	Dtex	12,500 ±5%
Thickness (micron)	90/140/100/110µm	Width	0.79/0.85/1/0.75mm

Turf carpet

Pile height	50 mm ±1mm	Gauge	5/8"
Stitch Rate/10cm	22 ±3%	Stitch Rate/M2	13,860 ±10%
Primary Backing	PP Cloth	Secondary Backing	Mesh Fabric
Coating	SBR Latex	Packing	PP fabrics+ PE film,tape
Yarn weight	1880 ±10%	Total weight	3045 ±15%
Drainage holes (mm)	5MM	Water Osmosis	1600-1800L/H/M²

Other info

Heavy Metal	SVHC ND-comply with REACH	Fire retardance	Efl-comply with EN 13501-1:2007+A1:2009
-------------	---------------------------	-----------------	---

Remarks:

The above data are subject to modifications based on technical improvements or company-internal developments.

All figures are average values and can vary slightly.



ROMA 55



APPLICATION ANWENDUNG / APPLICATION / TOEPASSING / APLICACIÓN / APPLICAZIONE	LANDSCAPING
PRODUCTION METHOD HERSTELLUNGSVERFAHREN / MODE DE FABRICATION / PRODUCTIEPROCES PROCESO DE FABRICACIÓN / PROCESSI DI FABBRICAZIONE	TUFTED
FIBRE FASER / FIBRE / VEZEL / FIBRA / FIBRA	PE + PP DTEX 19500
PILE HEIGHT POLHÖHE / HAUTEUR DU VELOURS / POOLHOOGTE / ALTURA DE LA PILA / ALTEZZO FELPA	±55 MM
TOTAL HEIGHT GESAMTHÖHE / HAUTEUR TOTALE / TOTALE HOOGTE / ALTURA TOTAL / ALTEZZO TOTALE	±57 MM
PILE WEIGHT POLEINSATZGEWICHT / POIDS DU VELOURS / POOLGEWICHT / PESO DE LA PILA / PESO FELPA	± 1769 GR/M²
TOTAL WEIGHT GESAMTGEWICHT / POIDS TOTAL / TOTAALGEWICHT / PESO TOTAL / PESO TOTALE	± 3069 GR/M²
GAUGE TUFTTEILUNG / JAUGE / TUFTDELING / GALGA / SCARTAMENTO	5/8"
STITCHES (10 CM') STICHZAHL / NOMBRE DE POINTS / STEKENAANTAL / PUNTADAS / SERRAGGIO PUNTI	± 13 /10CM¹
STITCHES (M') STICHZAHL / NOMBRE DE POINTS / STEKENAANTAL / PUNTADAS / SERRAGGIO PUNTI	± 8190 /M²
PRIMARY BACKING TRÄGER / DOSSIER PRIMAIRE / TUFTDOEK / BACKING PRINCIPAL / SUPPORTO PRIMARIO	PP 200 GR/M²
SECONDARY BACKING RÜCKEN / DOSSIER SECONDAIRE / SECUNDAIRE BACKING / BACKING SECUNDARIO / SUP- PORTO SECONDARIO	LATEX ±1100 GR/M²
WATER PERMEABILITY WASSERDURCHLASSIGKEIT / PERMÉABILITÉ / WATERDOORLATENDHEID /PERMEABILIDAD AL AGUA / PERMEABILITÀ ACQUA	60 L/MIN/M²
UV-WARRANTY NORTH EUROPE ABOVE PARIS, SOUTH EUROPE BELOW PARIS UV-GARANTIE / GARANTIE UV / UV GARANTIE / GARANTÍA UV / GARANZIA UV	NORTH EUROPE: 7 YEARS / SOUTH EUROPE: 5 YEARS
ROLL WIDTH ROLLBREITE / LARGEUR DES ROULEAUX / ROLBREEDTE / ANCHO DE ROLLO / LARGHEZZA ROTOLO	2 M / 4 M
ROLL LENGTH ROLLÄNGE / LONGUEUR DES ROULEAUX / ROLLENGTE / LARGO DEL ROLLO / LUNGHEZZA ROTOLO	±25 M
INFILL SAND FILLSAND / SABLE DE REMPLISSAGE / INSTRÖÖIZAND LA ARENA DE SÍLICE / SABBIA SILICEA	10-15 KG/M²





ACCESSORI

COLLA BICOMPONENTE 10 KG



TAPE 50 CM SU MISURA



TELO PACCIAMATURA SU MISURA



MARMO GRIGIO LUCIDO



MARMO ROSA



MARMO BIANCO CARRARA



SPAZZOLA RACCOGLITORE 502-E



SPAZZOLA 20V





**C.da del seminatore 16 Città: Biancavilla (CT) Cap:95033 Cell: 3483892651;
Email: agardengrass@gmail.com P.I.05782220874
PEC: italgrass@pec.it**

WorldGrass
EVOLUTION

**...IN POCO TEMPO,
UNA SOLUZIONE DI LUNGO PERIODO**

